



## CMT Product Brochure\_Safety Injection 2025

**A better source for high-quality, affordable drug delivery products.**

Cross-reference check on our website: [www.cmthealth.com/crosscheck.html](http://www.cmthealth.com/crosscheck.html)





## This is the CMT Health Singapore:

CMT Health, headquartered in Singapore and driven by a global vision, stands at the forefront of innovation in drug delivery solutions. With a robust presence across diverse sectors—including hospital acute care, laboratory testing, nursing centers, home care, and veterinary clinics—CMT Health leverages over 20 years of cutting-edge research and development expertise. Our commitment is to deliver safe, efficient, and cost-effective devices to customers around the globe.

Our growth is deeply rooted in a profound understanding of our customers' needs. By partnering with major international hospital systems, we create solutions that are both secure and economically viable. Our comprehensive portfolio is organized into three pivotal areas of drug delivery:

- **Safety Fluid Injection:** Advanced solutions for vaccination, nutritional feeding, and diabetes management.
- **Safety Specimen Collection:** Precision tools for the collection and processing of blood, urine, and specialized medicinal fluids.
- **Safety Infusion Therapy:** Innovative devices for vascular access, encompassing flushing, indwelling, and accessing systems.

In addition, CMT Health extends its expertise to the veterinary sector with a comprehensive portfolio of syringes and needles tailored for livestock, including swine, cattle, and goats. Our innovative devices are playing a crucial role in safeguarding animal health globally.

The top-tier manufacturing capabilities laid the foundation of CMT's qualities and abilities, bolstered by a global footprint in Southeast Asia, China, and Europe. These capabilities not only enhance production efficiency but also ensure adherence to stringent quality standards, integrate advanced technologies for precision engineering, and foster innovative practices that streamline operations. Additionally, CMT's commitment to sustainability and continuous improvement enables the company to respond agilely to market demands while maintaining excellence in product quality and reliability.

CMT Health is steadfast in its commitment to environmental, social, and governance (ESG) principles. We prioritize the well-being of our shareholders, employees, suppliers, customers, and the environment, reflecting our dedication to sustainable and responsible practices.

Looking ahead, CMT Health remains resolute in its mission to "CARE MORE TOGETHER" for improved health outcomes worldwide.



# Safety Injection Contents

|                                                                                     |                                                      |    |
|-------------------------------------------------------------------------------------|------------------------------------------------------|----|
|    | CMT Profoject™ Safety Auto-Retractable Syringe       | 01 |
|    | Standard Syringe                                     | 03 |
|    | CMT Profoject™ NRFit Syringe                         | 06 |
|    | Blunt Fill Needle                                    | 07 |
|    | Tuberculin Syringe                                   | 08 |
|    | CMT Profoject™ Dual Safety Insulin Pen Needle        | 09 |
|    | Safety Insulin Pen Needle                            | 11 |
|   | Safety Insulin Syringe                               | 12 |
|  | CMT Profoject™ Reusable O-ring ENFit Enteral Syringe | 13 |
|  | ENFit Enteral Syringe                                | 14 |
|  | Oral Syringe                                         | 15 |
|  | CMT Profoject™ Irrigation Syringe                    | 16 |

# CMT Profoject™ Safety Auto-Retractable Syringe



## Patented Claw Design

Prevent needle falling before use.





## Low Dead Space Design

Accurate dosage injection.



## Safety Mechanism

Pre-removal activation avoids contact with contaminated sharps.





### CMT Profoject™ Safety Auto-Retractable Syringe

| Ref No. | Volume (mL) | Needle Gauge | Needle Length (inches) | Stopper Color                                                                       | Packaging Config | Shipper Case (mm) |
|---------|-------------|--------------|------------------------|-------------------------------------------------------------------------------------|------------------|-------------------|
| 301151  | 1           | 25           | 1                      |    | 1/100/1200       | 450x410x280       |
| 301172  | 1           | 27           | 1/2                    |    | 1/100/1200       | 450x410x280       |
| 301331  | 3           | 23           | 1                      |  | 1/100/1200       | 540x450x440       |
| 301351  | 3           | 25           | 1                      |  | 1/100/1200       | 540x450x440       |
| 301358  | 3           | 25           | 5/8                    |  | 1/100/1200       | 540x450x440       |

### CMT Profoject™ Safety Auto-Retractable Insulin Syringe

|        |   |    |      |                                                                                     |            |             |
|--------|---|----|------|-------------------------------------------------------------------------------------|------------|-------------|
| 331192 | 1 | 29 | 1/2  |  | 1/100/1200 | 450x410x280 |
| 331196 | 1 | 29 | 5/16 |  | 1/100/1200 | 450x410x280 |
| 331172 | 1 | 27 | 1/2  |  | 1/100/1200 | 450x410x280 |
| 331178 | 1 | 27 | 5/8  |  | 1/100/1200 | 450x410x280 |



Luer Lock Tip



Luer Slip Tip



NRFit Lock Tip



NRFit Slip Tip



Standard Syringe 

| Ref No. | Tip Type      | Volume (mL) | Packaging Config | Shipper Case (mm) |
|---------|---------------|-------------|------------------|-------------------|
| 318010  | Luer Lock Tip | 1           | 1/100/2400       | 515x455x425       |
| 318030  | Luer Lock Tip | 3           | 1/100/2400       | 585x445x425       |
| 318050  | Luer Lock Tip | 5           | 1/100/2000       | 695x400x445       |
| 318100  | Luer Lock Tip | 10          | 1/100/1200       | 515x440x505       |
| 318200  | Luer Lock Tip | 20          | 1/40/320         | 450x380x300       |
| 318300  | Luer Lock Tip | 30          | 1/40/240         | 500x440x240       |
| 318500  | Luer Lock Tip | 50          | 1/20/160         | 470x445x310       |
| 318600  | Luer Lock Tip | 60          | 1/30/180         | 445x440x370       |
| 318011  | Luer Slip Tip | 1           | 1/100/2400       | 515x455x425       |
| 318031  | Luer Slip Tip | 3           | 1/100/2400       | 585x445x425       |
| 318051  | Luer Slip Tip | 5           | 1/100/2000       | 695x400x445       |
| 318101  | Luer Slip Tip | 10          | 1/100/1200       | 515x440x505       |
| 318201  | Luer Slip Tip | 20          | 1/40/320         | 450x380x300       |
| 318301  | Luer Slip Tip | 30          | 1/40/240         | 500x440x240       |
| 318501  | Luer Slip Tip | 50          | 1/20/160         | 470x445x310       |
| 318601  | Luer Slip Tip | 60          | 1/30/180         | 445x440x370       |



## Standard Needle

| Ref No. | Needle Gauge | Needle Length (inches) | Hub Color                                                                         | Packaging Config | Shipper Case (mm) |
|---------|--------------|------------------------|-----------------------------------------------------------------------------------|------------------|-------------------|
| 314810  | 18           | 1                      |  | 1/100/10000      | 550x445x400       |
| 314812  | 18           | 1-1/2                  |                                                                                   | 1/100/10000      | 550x445x400       |
| 314010  | 20           | 1                      |  | 1/100/10000      | 550x445x400       |
| 314012  | 20           | 1-1/2                  |                                                                                   | 1/100/10000      | 550x445x400       |
| 314110  | 21           | 1                      |  | 1/100/10000      | 550x445x400       |
| 314112  | 21           | 1-1/2                  |                                                                                   | 1/100/10000      | 550x445x400       |
| 314210  | 22           | 1                      |  | 1/100/10000      | 550x445x400       |
| 314310  | 23           | 1                      |  | 1/100/10000      | 550x445x400       |
| 314312  | 23           | 1-1/2                  |                                                                                   | 1/100/10000      | 550x445x400       |
| 314580  | 25           | 5/8                    |  | 1/100/10000      | 550x445x400       |
| 314510  | 25           | 1                      |                                                                                   | 1/100/10000      | 550x445x400       |
| 314512  | 25           | 1-1/2                  |                                                                                   | 1/100/10000      | 550x445x400       |
| 314680  | 26           | 5/8                    |  | 1/100/10000      | 550x445x400       |
| 314720  | 27           | 1/2                    |  | 1/100/10000      | 550x445x400       |
| 314712  | 27           | 1-1/2                  |                                                                                   | 1/100/10000      | 550x445x400       |
| 314302  | 30           | 1/2                    |  | 1/100/10000      | 550x445x400       |
| 314301  | 30           | 1                      |                                                                                   | 1/100/10000      | 550x445x400       |



## 2 Part Syringe

| Ref No. | Tip Type      | Volume (mL) | Packaging Config | Shipper Case (mm) |
|---------|---------------|-------------|------------------|-------------------|
| 333010  | Luer Lock Tip | 1           | 1/100/2400       | 515x455x425       |
| 333020  | Luer Lock Tip | 2           | 1/100/2400       | 585x445x425       |
| 333050  | Luer Lock Tip | 5           | 1/100/1200       | 695x400x445       |
| 333100  | Luer Lock Tip | 10          | 1/100/1000       | 515x440x505       |
| 333200  | Luer Lock Tip | 20          | 1/40/320         | 450x380x300       |
| 333011  | Luer Slip Tip | 1           | 1/100/2400       | 515x455x425       |
| 333021  | Luer Slip Tip | 2           | 1/100/2400       | 585x445x425       |
| 333051  | Luer Slip Tip | 5           | 1/100/1200       | 695x400x445       |
| 333201  | Luer Slip Tip | 10          | 1/100/1000       | 515x440x505       |
| 333201  | Luer Slip Tip | 20          | 1/40/320         | 450x380x300       |



Standard Syringe with Needle



| Ref No. | Tip Type      | Volume(mL) | Needle Gauge | Needle Length (inches) | Packaging Config | Shipper Case (mm) |
|---------|---------------|------------|--------------|------------------------|------------------|-------------------|
| 332101  | Luer Lock Tip | 1          | 20           | 1                      | 1/100/1200       | 450x380x280       |
| 324168  | Luer Slip Tip | 1          | 26           | 5/8                    | 1/100/1200       | 450x380x280       |
| 332382  | Luer Lock Tip | 3          | 18           | 1-1/2                  | 1/100/800        | 450x410x245       |
| 332301  | Luer Lock Tip | 3          | 20           | 1                      | 1/100/800        | 450x410x245       |
| 332302  | Luer Lock Tip | 3          | 20           | 1-1/2                  | 1/100/800        | 450x410x245       |
| 332311  | Luer Lock Tip | 3          | 21           | 1                      | 1/100/800        | 450x410x245       |
| 332312  | Luer Lock Tip | 3          | 21           | 1-1/2                  | 1/100/800        | 450x410x245       |
| 332331  | Luer Lock Tip | 3          | 23           | 1                      | 1/100/800        | 450x410x245       |
| 332332  | Luer Lock Tip | 3          | 23           | 1-1/2                  | 1/100/800        | 450x410x245       |
| 332358  | Luer Lock Tip | 3          | 25           | 5/8                    | 1/100/800        | 450x410x245       |
| 332351  | Luer Lock Tip | 3          | 25           | 1                      | 1/100/800        | 450x410x245       |
| 332352  | Luer Lock Tip | 3          | 25           | 1-1/2                  | 1/100/800        | 450x410x245       |
| 332368  | Luer Lock Tip | 3          | 26           | 5/8                    | 1/100/800        | 450x410x245       |
| 332582  | Luer Lock Tip | 5          | 18           | 1-1/2                  | 1/100/400        | 406x230x395       |
| 332501  | Luer Lock Tip | 5          | 20           | 1                      | 1/100/400        | 406x230x395       |
| 332502  | Luer Lock Tip | 5          | 20           | 1-1/2                  | 1/100/400        | 406x230x395       |
| 332511  | Luer Lock Tip | 5          | 21           | 1                      | 1/100/400        | 406x230x395       |
| 332512  | Luer Lock Tip | 5          | 21           | 1-1/2                  | 1/100/400        | 406x230x395       |
| 332521  | Luer Lock Tip | 5          | 22           | 1                      | 1/100/400        | 406x230x395       |
| 332082  | Luer Lock Tip | 10         | 18           | 1-1/2                  | 1/100/800        | 470x450x440       |
| 332001  | Luer Lock Tip | 10         | 20           | 1                      | 1/100/800        | 470x450x440       |
| 332002  | Luer Lock Tip | 10         | 20           | 1-1/2                  | 1/100/800        | 470x450x440       |
| 332011  | Luer Lock Tip | 10         | 21           | 1                      | 1/100/800        | 470x450x440       |
| 332012  | Luer Lock Tip | 10         | 21           | 1-1/2                  | 1/100/800        | 470x450x440       |
| 332021  | Luer Lock Tip | 10         | 22           | 1                      | 1/100/800        | 470x450x440       |



# CMT Profoject™ NRFit Syringe



CMT Profoject™ NRFit Syringe

| Ref No. | Tip Type       | Volume (mL) | Packaging Config | Shipper Case (mm) |
|---------|----------------|-------------|------------------|-------------------|
| 303012  | NRFit Lock Tip | 1           | 1/100/2400       | 515x455x425       |
| 303032  | NRFit Lock Tip | 3           | 1/100/800        | 450x290x285       |
| 303052  | NRFit Lock Tip | 5           | 1/100/800        | 490x300x375       |
| 303102  | NRFit Lock Tip | 10          | 1/100/800        | 516x330x505       |
| 303202  | NRFit Lock Tip | 20          | 1/50/300         | 500x270x365       |
| 303602  | NRFit Lock Tip | 60          | 1/30/180         | 445x355x470       |
| 303013  | NRFit Slip Tip | 1           | 1/100/2400       | 515x455x425       |
| 303033  | NRFit Slip Tip | 3           | 1/100/800        | 450x290x285       |
| 303053  | NRFit Slip Tip | 5           | 1/100/800        | 490x300x375       |
| 303103  | NRFit Slip Tip | 10          | 1/100/800        | 516x330x505       |
| 303203  | NRFit Slip Tip | 20          | 1/50/300         | 500x270x365       |
| 303603  | NRFit Slip Tip | 60          | 1/30/180         | 445x355x470       |



# CMT Profoject™ LOR Syringe

CMT Profoject™ LOR Syringe



| Ref No. | Tip Type       | Volume (mL) | Packaging Config | Shipper Case (mm) |
|---------|----------------|-------------|------------------|-------------------|
| 304072  | NRFit Lock Tip | 7           | 1/25/200         | 350x270x220       |
| 304073  | NRFit Slip Tip | 7           | 1/25/200         | 350x270x220       |
| 304070  | Luer Lock Tip  | 7           | 1/25/200         | 350x270x220       |
| 304071  | Luer Slip Tip  | 7           | 1/25/200         | 350x270x220       |





## Blunt Fill Needle



### Blunt Fill Needle

| Ref No. | Needle Gauge | Needle Length (inches) | Packaging Config | Shipper Case (mm) |
|---------|--------------|------------------------|------------------|-------------------|
| 313810  | 18           | 1                      | 1/100/10000      | 550x445x400       |
| 313820  | 18           | 1-1/2                  | 1/100/10000      | 550x445x400       |
| 313010  | 20           | 1                      | 1/100/10000      | 550x445x400       |



## Blunt Needle



### Blunt Needle

| Ref No. | Needle Gauge | Needle Length (inches) | Packaging Config | Shipper Case (mm) |
|---------|--------------|------------------------|------------------|-------------------|
| 312810  | 18           | 1                      | 1/100/10000      | 550x445x400       |
| 312820  | 18           | 1-1/2                  | 1/100/10000      | 550x445x400       |
| 312010  | 20           | 1                      | 1/100/10000      | 550x445x400       |



### Tuberculin Syringe



| Ref No. | Volume (mL) | Needle Gauge | Needle Length (inches) | Packaging Config | Shipper Case (mm) |
|---------|-------------|--------------|------------------------|------------------|-------------------|
| 308582  | 0.5         | 28           | 1/2                    | 1/100/500        | 605x185x230       |
| 308131  | 1           | 23           | 1                      | 1/100/500        | 605x185x230       |
| 308151  | 1           | 25           | 1                      | 1/100/500        | 605x185x230       |




### Dental Curved Syringe



| Ref No. | Volume (mL) | Packaging Config | Shipper Case (mm) |
|---------|-------------|------------------|-------------------|
| 315120  | 12          | 25/50/500        | 525x220x300       |



### Control Syringe



| Ref No. | Volume (mL) | Packaging Config | Shipper Case (mm) |
|---------|-------------|------------------|-------------------|
| 317120  | 12          | 1/40/160         | 415x375x340       |
| 317200  | 20          | 1/40/160         | 415x375x380       |

# CMT Profoject™ Dual Safety Insulin Pen Needle



## Tri-bevel Needle


Ultra-fine needle designed for precise and gentle injections.



## Pre-covered

Pre-covered needle tip for reduced risk of needle stick.

## Safety activation



## Safety Mechanism

The colored indicators, bottom and top, identify clear dual activation visually and audibly.





## CMT Profoject™ Dual Safety Insulin Pen Needle



| Ref No. | Needle Gauge | Needle Length (mm) | Paper Color                                                                         | Packaging Config | Shipper Case (mm) |
|---------|--------------|--------------------|-------------------------------------------------------------------------------------|------------------|-------------------|
| 330050  | 30           | 5                  |    | 1/100/2000       | 425x320x230       |
| 330060  | 30           | 6                  |    | 1/100/2000       | 425x320x230       |
| 330140  | 31           | 4                  |    | 1/100/2000       | 425x320x230       |
| 330150  | 31           | 5                  |   | 1/100/2000       | 425x320x230       |
| 330160  | 31           | 6                  |  | 1/100/2000       | 425x320x230       |
| 330240  | 32           | 4                  |  | 1/100/2000       | 425x320x230       |



## Safety Insulin Pen Needle



| Ref No. | Needle Gauge | Needle Length (mm) | Paper Color | Packaging Config | Shipper Case (mm) |
|---------|--------------|--------------------|-------------|------------------|-------------------|
| 330051  | 30           | 5                  |             | 1/100/2000       | 345x320x230       |
| 330061  | 30           | 6                  |             | 1/100/2000       | 425x320x230       |
| 330081  | 30           | 8                  |             | 1/100/2000       | 425x320x230       |
| 330141  | 31           | 4                  |             | 1/100/2000       | 345x320x230       |
| 330151  | 31           | 5                  |             | 1/100/2000       | 345x320x230       |
| 330161  | 31           | 6                  |             | 1/100/2000       | 425x320x230       |
| 330181  | 31           | 8                  |             | 1/100/2000       | 425x320x230       |
| 330241  | 32           | 4                  |             | 1/100/2000       | 345x320x230       |



## Insulin Pen Needle



| Ref No. | Needle Gauge | Needle Length (mm) | Paper Color | Packaging Config | Shipper Case (mm) |
|---------|--------------|--------------------|-------------|------------------|-------------------|
| 330052  | 30           | 5                  |             | 1/100/2400       | 450x260x165       |
| 330062  | 30           | 6                  |             | 1/100/2400       | 450x260x165       |
| 330082  | 30           | 8                  |             | 1/100/2400       | 450x260x165       |
| 330142  | 31           | 4                  |             | 1/100/2400       | 450x260x165       |
| 330152  | 31           | 5                  |             | 1/100/2400       | 450x260x165       |
| 330162  | 31           | 6                  |             | 1/100/2400       | 450x260x165       |
| 330182  | 31           | 8                  |             | 1/100/2400       | 450x260x165       |
| 330242  | 32           | 4                  |             | 1/100/2400       | 450x260x165       |



## Safety Insulin Syringe



| Ref No. | Volume (mL) | Needle Gauge | Needle Length (inches) | Packaging Config | Shipper Case (mm) |
|---------|-------------|--------------|------------------------|------------------|-------------------|
| 329392  | 0.3         | 29           | 1/2                    | 1/100/500        | 605x185x230       |
| 329306  | 0.3         | 30           | 5/16                   | 1/100/500        | 605x185x230       |
| 329592  | 0.5         | 29           | 1/2                    | 1/100/500        | 605x185x230       |
| 329506  | 0.5         | 30           | 5/16                   | 1/100/500        | 605x185x230       |
| 329192  | 1           | 29           | 1/2                    | 1/100/500        | 605x185x230       |
| 329106  | 1           | 30           | 5/16                   | 1/100/500        | 605x185x230       |
| 329116  | 1           | 31           | 5/16                   | 1/100/500        | 605x185x230       |



## Insulin Syringe



| Ref No. | Volume (mL) | Needle Gauge | Needle Length (inches) | Packaging Config | Shipper Case (mm) |
|---------|-------------|--------------|------------------------|------------------|-------------------|
| 334392  | 0.3         | 29           | 1/2                    | 1/100/500        | 520x215x180       |
| 334302  | 0.3         | 30           | 1/2                    | 1/100/500        | 520x215x180       |
| 334306  | 0.3         | 30           | 5/16                   | 1/100/500        | 520x215x180       |
| 334572  | 0.5         | 27           | 1/2                    | 1/100/500        | 520x215x180       |
| 334582  | 0.5         | 28           | 1/2                    | 1/100/500        | 520x215x180       |
| 334592  | 0.5         | 29           | 1/2                    | 1/100/500        | 520x215x180       |
| 334502  | 0.5         | 30           | 1/2                    | 1/100/500        | 520x215x180       |
| 334516  | 0.5         | 31           | 5/16                   | 1/100/500        | 520x215x180       |
| 334172  | 1           | 27           | 1/2                    | 1/100/500        | 520x215x180       |
| 334182  | 1           | 28           | 1/2                    | 1/100/500        | 520x215x180       |
| 334192  | 1           | 29           | 1/2                    | 1/100/500        | 520x215x180       |
| 334116  | 1           | 31           | 5/16                   | 1/100/500        | 520x215x180       |

# CMT Profoject™ Reusable O-ring ENFit Enteral Syringe



## O-ring Gasket Design

Facilitates easy cleaning  
for reusability.




## Low Dose Tip

Ensure minimal drug loss  
in the syringe.




ENFit Tip



Oral Tip




ENFit LDT Tip



Catheter Tip





## CMT Profoject™ Reusable O-ring ENFit Enteral Syringe

| Ref No. | Tip Type                | Volume (mL) | Packaging Config | Shipper Case (mm) |
|---------|-------------------------|-------------|------------------|-------------------|
| 321014  | ENFit Tip, Low Dose Tip | 1           | 1/200/800        | 380x300x290       |
| 321034  | ENFit Tip, Low Dose Tip | 3           | 1/200/800        | 380x360x290       |
| 321054  | ENFit Tip, Low Dose Tip | 5           | 1/100/800        | 490x300x395       |
| 321105  | ENFit Tip               | 10          | 1/100/800        | 516x330x505       |
| 321205  | ENFit Tip               | 20          | 1/50/600         | 505x465x440       |
| 321305  | ENFit Tip               | 30          | 1/50/400         | 560x440x410       |
| 321605  | ENFit Tip               | 60          | 1/50/400         | 735x470x450       |
| 321005  | ENFit Tip               | 100         | 1/40/320         | 690x585x440       |



## ENFit Enteral Syringe

| Ref No. | Tip Type                | Volume (mL) | Packaging Config | Shipper Case (mm) |
|---------|-------------------------|-------------|------------------|-------------------|
| 319005  | ENFit Tip, Low Dose Tip | 0.5         | 1/100/2400       | 560x450x415       |
| 319010  | ENFit Tip, Low Dose Tip | 1           | 1/100/2400       | 560x450x415       |
| 319025  | ENFit Tip, Low Dose Tip | 2.5         | 1/100/2400       | 560x450x415       |
| 319030  | ENFit Tip, Low Dose Tip | 3           | 1/100/2400       | 560x450x415       |
| 319050  | ENFit Tip, Low Dose Tip | 5           | 1/100/1200       | 490x440x395       |
| 319100  | ENFit Tip               | 10          | 1/100/800        | 516x330x505       |
| 319200  | ENFit Tip               | 20          | 1/50/600         | 505x465x440       |
| 319300  | ENFit Tip               | 30          | 1/50/400         | 560x440x410       |
| 319600  | ENFit Tip               | 60          | 1/50/300         | 559x470x445       |
| 319001  | ENFit Tip               | 100         | 1/40/320         | 690x585x440       |



### Reusable O-ring Oral Syringe



| Ref No. | Volume (mL) | Barrel Color | Packaging Config | Shipper Case (mm) |
|---------|-------------|--------------|------------------|-------------------|
| 323014  | 1           |              | 1/100/2400       | 515x455x425       |
| 323034  | 3           |              | 1/100/2400       | 580x440x475       |
| 323064  | 6           |              | 1/100/1200       | 490x440x385       |
| 323124  | 12          |              | 1/100/600        | 450x435x340       |
| 323204  | 20          |              | 1/50/600         | 575x435x340       |
| 323015  | 1           |              | 1/100/2400       | 515x455x425       |
| 323035  | 3           |              | 1/100/2400       | 580x440x475       |
| 323065  | 6           |              | 1/100/1200       | 490x440x385       |
| 323125  | 12          |              | 1/100/600        | 450x435x340       |
| 323205  | 20          |              | 1/50/600         | 575x435x340       |



### Oral Syringe



| Ref No. | Tip Type     | Volume (mL) | Packaging Config | Shipper Case (mm) |
|---------|--------------|-------------|------------------|-------------------|
| 322010  | Oral Tip     | 1           | 1/100/2400       | 515x455x425       |
| 322030  | Oral Tip     | 3           | 1/100/2400       | 580x440x475       |
| 322060  | Oral Tip     | 6           | 1/100/1200       | 490x440x385       |
| 322120  | Oral Tip     | 12          | 1/100/600        | 450x435x340       |
| 322200  | Oral Tip     | 20          | 1/50/600         | 575x435x340       |
| 322011  | Catheter Tip | 1           | 1/60/240         | 425x190x170       |
| 322031  | Catheter Tip | 3           | 1/120/480        | 430x340x248       |
| 322061  | Catheter Tip | 6           | 1/100/400        | 425x320x235       |
| 322121  | Catheter Tip | 12          | 1/48/192         | 418x350x220       |
| 322301  | Catheter Tip | 30          | 1/40/160         | 435x430x250       |
| 322601  | Catheter Tip | 60          | 1/30/120         | 435x500x235       |

# CMT Profoject™ Irrigation Syringe



## Flat, Ring, Bulb Tops Design

Provide optimal control, minimize hand slippage, and prevent contamination.



## ENFit Tip Design

Aims to minimize tubing misconnections.



## Re-sealable Pole Bag

Contributes to safe and convenient storage.



Flat Top Irrigation Syringe



Ring Top Irrigation Syringe



Bulb Irrigation Syringe with Container



CMT Profoject™ Flat Top Irrigation Syringe




| Ref No. | Tip Type                                           | Volume (mL) | Packaging Config | Shipper Case (mm) |
|---------|----------------------------------------------------|-------------|------------------|-------------------|
| 335605  | Purple with ENFit Tip Connector, with Step Adapter | 60          | 1/25/200         | 540x445x390       |
| 335606  | Clear with Catheter Tip Connector, with Cap        | 60          | 1/25/200         | 540x445x390       |

CMT Profoject™ Ring Top Irrigation Syringe



|        |                                                                           |    |          |             |
|--------|---------------------------------------------------------------------------|----|----------|-------------|
| 336601 | Purple with ENFit Tip Connector                                           | 60 | 1/25/200 | 540x445x390 |
| 336603 | Purple with ENFit Tip Connector, with 500ml Container                     | 60 | 1/25/100 | 635x425x485 |
| 336607 | Clear with Catheter Tip Connector, with Tip Adapter                       | 60 | 1/25/200 | 540x445x390 |
| 336608 | Clear with Catheter Tip Connector, with Tip Adapter, with 500ml Container | 60 | 1/25/100 | 635x425x485 |
| 336609 | Purple with ENFit Tip Connector, with 500ml Square Container              | 60 | 1/30/120 | 590x480x520 |

CMT Profoject™ Bulb Irrigation Syringe



|        |                                                         |    |          |             |
|--------|---------------------------------------------------------|----|----------|-------------|
| 337607 | Clear with Catheter Tip Connector, with Tip Adapter     | 60 | 1/50/200 | 585x415x488 |
| 337604 | Clear with Catheter Tip Connector, with 500ml Container | 60 | 1/25/100 | 635x425x485 |



### ENFit Connection Adapter



| Ref No. | Adapter Type     | Packaging Config | Shipper Case (mm) |
|---------|------------------|------------------|-------------------|
| 325001  | Straight Adapter | 1/200/1200       | 435x305x275       |
| 325002  | Stepped Adapter  | 1/200/1200       | 435x305x275       |



### Straw Tube with ENFit Tip



| Ref No. | Tubing Length (mm) | Packaging Config | Shipper Case (mm) |
|---------|--------------------|------------------|-------------------|
| 325050  | 50                 | 1/200/1200       | 420x404x320       |
| 326100  | 100                | 1/200/800        | 470x445x381       |



## CMT HEALTH PTE. LTD.

---

### Web:

[www.cmthealth.com](http://www.cmthealth.com)

### E-mail:

[sales@cmthealth.com](mailto:sales@cmthealth.com)

### Address:

150 BEACH ROAD #28-05  
GATEWAY WEST SINGAPORE (189720)



\*Scan QR code to download catalog

