

CMT Product Brochure_Safety Infusion 2025

A better source for high-quality, affordable drug delivery products.

Cross-reference check on our website: www.cmthealth.com/crosscheck.html





This is the CMT Health Singapore:

CMT Health, headquartered in Singapore and driven by a global vision, stands at the forefront of innovation in drug delivery solutions. With a robust presence across diverse sectors—including hospital acute care, laboratory testing, nursing centers, home care, and veterinary clinics—CMT Health leverages over 20 years of cutting-edge research and development expertise. Our commitment is to deliver safe, efficient, and cost-effective devices to customers around the globe.

Our growth is deeply rooted in a profound understanding of our customers' needs. By partnering with major international hospital systems, we create solutions that are both secure and economically viable. Our comprehensive portfolio is organized into three pivotal areas of drug delivery:

- Safety Fluid Injection: Advanced solutions for vaccination, nutritional feeding, and diabetes management.
- **Safety Specimen Collection:** Precision tools for the collection and processing of blood, urine, and specialized medicinal fluids.
- **Safety Infusion Therapy:** Innovative devices for vascular access, encompassing flushing, indwelling, and accessing systems.

In addition, CMT Health extends its expertise to the veterinary sector with a comprehensive portfolio of syringes and needles tailored for livestock, including swine, cattle, and goats. Our innovative devices are playing a crucial role in safeguarding animal health globally.

The top-tier manufacturing capabilities laid the foundation of CMT's qualities and abilities, bolstered by a global footprint in Southeast Asia, China, and Europe. These capabilities not only enhance production efficiency but also ensure adherence to stringent quality standards, integrate advanced technologies for precision engineering, and foster innovative practices that streamline operations. Additionally, CMT's commitment to sustainability and continuous improvement enables the company to respond agilely to market demands while maintaining excellence in product quality and reliability.

CMT Health is steadfast in its commitment to environmental, social, and governance (ESG) principles. We prioritize the well-being of our shareholders, employees, suppliers, customers, and the environment, reflecting our dedication to sustainable and responsible practices.

Looking ahead, CMT Health remains resolute in its mission to "CARE MORE TOGETHER" for improved health outcomes worldwide.


Safety Infusion Contents

| | CMT Profoject™ Prefilled Normal Saline Flush Syringe | 01 |
|----------|--|----|
| R | CMT Profoject™ Safety Huber Infusion Set | 03 |
| Y | CMT Profoject™ Safety IV Catheter Closed System | 05 |
| | CMT Profoject™ Safety Sliding IV Catheter | 07 |
| | Needle-Free Connector | 10 |
| | IV Extension Set | 12 |
| | Disinfection Caps | 13 |
| | Mini Vented Transfer Pin | 14 |
| | Stopcock | 14 |

CMT Profoject™ Prefilled Normal Saline Flush Syringe


Sterile Fluid Pathway

Contain with sterilized 0.9% sodium chloride.



Sterile Field

Terminally and externally sterilized together with package.







Tip Cap

Easy screw-on, prevent microbial contamination.



Stopper

No blood reflux design.





CMT Profoject™ Prefilled Normal Saline Flush Syringe—Sterile Fluid Pathway




| Ref No. | Volume (mL) | Packaging Config | Shipper Case (mm) |
|---------|----------------|---------------------|----------------------|
| 201330 | 3 | 1/30/480 | 595x300x250 |
| 201550 | 5 | 1/30/480 | 595x340x250 |
| 201110 | 10 | 1/30/480 | 595x450x250 |

CMT Profoject™ Prefilled Normal Saline Flush Syringe—Sterile Field



| 202330 | 3 | 1/30/240 | 418x318x275 |
|--------|----|----------|-------------|
| 202550 | 5 | 1/30/240 | 418x360x275 |
| 202110 | 10 | 1/30/240 | 405×335×325 |

CMT Profoject™ Safety Huber Infusion Set





90° Bent Design

Easy operate and activate round plate.





CMT Flat Tubing Design

Without curved tubing, better touching.







CMT Profoject™ Safety Huber Infusion Set



| Ref No. | Needle Gauge | Needle Length (inches) | Tubing Length (mm) | Priming Volume(mL) | NF Connector | MRI Compatibility | Packaging Config | Shipper Case (mm) |
|---------|-----------------|------------------------|--------------------|-----------------------|-----------------|----------------------|---------------------|----------------------|
| 204910 | 19 | 1 | 180 | 0.25 | w/o | yes | 1/50/200 | 495x285x425 |
| 204040 | 20 | 3/4 | 180 | 0.25 | w/o | yes | 1/50/200 | 495x285x425 |
| 204280 | 22 | 5/8 | 180 | 0.25 | w/o | yes | 1/50/200 | 495x285x425 |

CMT Profoject™ Safety Huber Infusion Set with Y Port



| | | | | | <i>B</i> | | | |
|--------|----|-----|-----|------|----------|-----|----------|-------------|
| 204911 | 19 | 1 | 200 | 0.25 | Y Type | yes | 1/50/200 | 495x285x425 |
| 204041 | 20 | 3/4 | 200 | 0.25 | Y Type | yes | 1/50/200 | 495x285x425 |
| 204281 | 22 | 5/8 | 200 | 0.25 | Y Type | ves | 1/50/200 | 495x285x425 |

CMT Profoject™ Safety IV Catheter Closed System





Wings Design

Reduce catheter movement in the vein to lower the risk of dislodgement.



PUR Tubing


Enhances flexibility, lowers mechanical phlebitis risk, and extends dwell time.




Safety Mechanism

CMT new designed stablization system.











CMT Profoject™ Safety IV Catheter Closed System



| Ref No. | Catheter Gauge | Needle Length (mm) | Wing Color | Packaging Config | Shipper Case (mm) |
|---------|----------------|-----------------------|------------|---------------------|----------------------|
| 207821 | 18 | 32 | | 1/50/200 | 510x140x150 |
| 207851 | 18 | 45 | | 1/50/200 | 510x140x150 |
| 207051 | 20 | 25 | Ш | 1/50/200 | 510x140x150 |
| 207021 | 20 | 32 | | 1/50/200 | 510x140x150 |
| 207051 | 20 | 45 | | 1/50/200 | 510x140x150 |
| 207291 | 22 | 19 | | 1/50/200 | 510x140x150 |
| 207251 | 22 | 25 | | 1/50/200 | 510x140x150 |
| 207441 | 24 | 14 | — | 1/50/200 | 510x140x150 |
| 207491 | 24 | 19 | | 1/50/200 | 510x140x150 |

CMT Profoject™ Safety Sliding IV Catheter



Safety Mechanism

CMT new designed sleeve cover, prevent any blood splash after use.





Flashback Technology


Cannula visualisation of flashback in chamber confirms venepuncture.




Injection Port

Facilitates simultaneous medication administration during infusion.











CMT Profoject™ Sliding IV Catheter without Wings



| Ref No. | Catheter Gauge | Tubing Length (mm) | Hub Color | Packaging Config | Shipper Case (mm) |
|---------|----------------|--------------------|-----------|---------------------|----------------------|
| 208450 | 14 | 45 | <u> </u> | 1/50/200 | 510x140x150 |
| 208620 | 16 | 32 | | 1/50/200 | 510x140x150 |
| 208650 | 16 | 45 | | 1/50/200 | 510x140x150 |
| 208820 | 18 | 32 | | 1/50/200 | 510x140x150 |
| 208810 | 18 | 51 | # | 1/50/200 | 510x140x150 |
| 208050 | 20 | 25 | | 1/50/200 | 510x140x150 |
| 208020 | 20 | 32 | A | 1/50/200 | 510x140x150 |
| 208010 | 20 | 51 | | 1/50/200 | 510x140x150 |
| 208250 | 22 | 25 | A | 1/50/200 | 510x140x150 |
| 208490 | 24 | 19 | | 1/50/200 | 510x140x150 |

CMT Profoject™ Sliding IV Catheter with Wings



| 208413 | 14 | 51 | * | 1/50/200 | 510x140x150 | |
|--------|----|----|----------|----------|-------------|--|
| 208623 | 16 | 32 | 9 | 1/50/200 | 510x140x150 | |
| 208653 | 16 | 45 | T | 1/50/200 | 510x140x150 | |
| 208823 | 18 | 32 | سالم | 1/50/200 | 510x140x150 | |
| 208853 | 18 | 45 | # | 1/50/200 | 510x140x150 | |
| 208053 | 20 | 25 | | 1/50/200 | 510x140x150 | |
| 208023 | 20 | 32 | | 1/50/200 | 510x140x150 | |
| 208013 | 20 | 51 | | 1/50/200 | 510x140x150 | |
| 208253 | 22 | 25 | ₩ | 1/50/200 | 510x140x150 | |
| 208493 | 24 | 19 | • | 1/50/200 | 510x140x150 | |





CMT Profoject™ Safety Sliding IV Catheter with Wings, with Injection Port



| Ref No. | Catheter Gauge | Tubing Length (mm) | Hub Color | Packaging Config | Shipper Case (mm) |
|---------|----------------|--------------------|---------------------|---------------------|----------------------|
| 208414 | 14 | 51 | I | 1/50/200 | 510x140x150 |
| 208654 | 16 | 45 | ф | 1/50/200 | 510x140x150 |
| 208824 | 18 | 32 | do . | 1/50/200 | 510x140x150 |
| 208854 | 18 | 45 | | 1/50/200 | 510x140x150 |
| 208054 | 20 | 25 | | 1/50/200 | 510x140x150 |
| 208024 | 20 | 32 | T T | 1/50/200 | 510x140x150 |
| 208254 | 22 | 25 | d | 1/50/200 | 510x140x150 |
| 208494 | 24 | 19 | n <mark>do</mark> n | 1/50/200 | 510x140x150 |



Needle-Free Connector












Negative Luer Neutral Luer Short Neutral Luer Clear Neutral Luer Blue Positive Luer Clear

- √ Straight Fluid Pathway
- √ Flat, Smooth, Cleanable Split-Septum
- √ Compatible with Power Injector
- √ Compatible with CT Scan / MRI



Fluid Pathway

Good structural design reduces duct reflux.

Needle-Free Connector











| Ref No. | Туре | Packaging Config | Shipper Case (mm) |
|---------|---------------------|---------------------|----------------------|
| 210010 | Negative Luer | 1/50/1000 | 520x225x180 |
| 210020 | Neutral Luer Short | 1/50/1000 | 520x225x180 |
| 210030 | Neutral Luer Clear | 1/50/1000 | 520x225x180 |
| 210040 | Neutral Luer Blue | 1/50/1000 | 520x225x180 |
| 210050 | Positive Luer Clear | 1/50/1000 | 520x225x180 |

Needle-Free Connector Neutral Luer Clear





Feature

- Neutral fluid displacement helps prevent blood reflux and reduce reflux-related occulation.
- Flat and smooth surface ensures easy and thorough swabbing.
- Straight fluid path supports a high flow rate of up to 133 ml/min.
- Transparent housing allows for clear observation.

Technical Data




| Number of Activations | 350 |
|-----------------------------|------|
| Days Usage | 7 |
| Priming Volume(mL) | 0.07 |
| Flow Rate Gravity(mL/min) | 133 |
| Flow Rate at Pressure(mL/s) | 10 |
| Pressure Rating(PSI) | 325 |

Compatibility

| Alcohol | yes |
|---------------|-----|
| Lipids | yes |
| Chlorhexidine | yes |
| Chemotherapy | yes |
| Blood | yes |
| MRI | yes |



IV Extension Set





V Extension Set

| Ref No. | Туре | NF Connector | Packaging Config | Shipper Case (mm) |
|---------|----------------------------|--------------------|---------------------|----------------------|
| 212115 | Single Lumen Extension Set | Negative A | 1/48/480 | 600x420x320 |
| 212215 | Dual Lumen Extension Set | Negative A | 1/48/480 | 600x420x320 |
| 212315 | Triple Lumen Extension Set | Negative A | 1/48/480 | 600x420x320 |
| 121415 | Quad Lumen Extension Set | Negative A | 1/48/480 | 600x420x320 |
| 212125 | Single Lumen Extension Set | Neutral Luer Clear | 1/48/480 | 600x420x320 |
| 212225 | Dual Lumen Extension Set | Neutral Luer Clear | 1/48/480 | 600x420x320 |
| 212325 | Triple Lumen Extension Set | Neutral Luer Clear | 1/48/480 | 600x420x320 |
| 212425 | Quad Lumen Extension Set | Neutral Luer Clear | 1/48/480 | 600x420x320 |



Sof-Touch Disinfection Cap



The unique luer thread provides enhanced comfort.



Disinfection Cap Male Luer



Easy to grip, hold, and twist for a tight and secure fit.



Disinfection Cap Female Luer



The exposed location allows for sufficient alcohol flow.



Disinfection Cap

| Ref No. | Туре | Packaging Config | Shipper Case (mm) |
|---------|------------------------------|---------------------|----------------------|
| 214010 | Sof-Touch Disinfection Cap | 10/200/4800 | 600x325x265 |
| 214011 | Sof-Touch Disinfection Cap | 1/100/2400 | 438x370x325 |
| 214020 | Disinfection Cap Male Luer | 10/200/4800 | 600x325x265 |
| 214021 | Disinfection Cap Male Luer | 1/100/2400 | 438x370x325 |
| 214030 | Disinfection Cap Female Luer | 10/200/4800 | 380x305x305 |









| • | Ref No. | Packaging Config | Shipper Case (mm) |
|---|---------|---------------------|-------------------|
| | 215100 | 1/100/800 | 470x460x265 |



Vented Vial Spike with NF Connector



| Ref No. | Packaging Config | Shipper Case (mm) |
|---------|---------------------|----------------------|
| 215205 | 1/100/400 | 440x230x355 |



Spike with NF Connector



| Ref No. | Packaging Config | Shipper Case (mm) |
|---------|---------------------|----------------------|
| 215225 | 1/100/1200 | 510x455x510 |



Plastic Cannula



| Ref No. | Packaging Config | Shipper Case (mm) |
|---------|---------------------|-------------------|
| 216000 | 1/100/10000 | 550x445x440 |



Stopcock



| Ref No. | Packaging Config | Shipper Case (mm) |
|---------|---------------------|----------------------|
| 213000 | 1/100/400 | 440x230x355 |









CMT HEALTH PTE. LTD.

Web:

www.cmthealth.com

E-mail:

sales@cmthealth.com

Address:

150 BEACH ROAD #28-05
GATEWAY WEST SINGAPORE (189720)



*Scan QR code to download catalog

